



SAFETY DATA SHEET

In accordance with OSHA 29 CFR 1910.1200

NEVER-SEEZ NICKEL NUCLEAR GRADE
Revision Number 4

Revision date 17-Jan-2025
Supersedes date 18-Mar-2022

1. Identification

1.1. Product identifier

Product Name NEVER-SEEZ NICKEL NUCLEAR GRADE

Other means of identification

Other information Not applicable

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Lubricant
Restrictions on use No information available

1.3. Details of the supplier of the safety data sheet

Responsible Party

Bostik Inc.
11320 W. Watertown Plank Road
Wauwatosa, Wisconsin 53226 USA
Phone: +1(800) 726-7845 (Domestic Toll Free)
Phone: +1 (414) 774-2250 (International)

E-mail msds@bostik.com

1.4. Emergency telephone number

Emergency Telephone CHEMTREC (Chemical Transportation Emergency Center)
Chemtrec: 1-800-424-9300 (US), 1-703-527-3887 (Outside U.S.)
Rocky Mountain Poison Center: 1-866-767-5089

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Skin sensitization	Category 1
Carcinogenicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

2.2. Label elements

EMERGENCY OVERVIEW

Danger

Hazard statements

May cause an allergic skin reaction
Suspected of causing cancer
Causes damage to organs through prolonged or repeated exposure

SAFETY DATA SHEET

NEVER-SEEZ NICKEL NUCLEAR GRADE
Revision Number 4

Revision date 17-Jan-2025
Supersedes date 18-Mar-2022



Appearance Paste

Physical state Solid

Odor No information available

Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Wear protective gloves/protective clothing/eye protection/face protection
Contaminated work clothing must not be allowed out of the workplace
Do not breathe dust/fume/gas/mist/vapors/spray
Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention
IF ON SKIN: Wash with plenty of water and soap
If skin irritation or rash occurs: Get medical advice/attention
Wash contaminated clothing before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

2.3. Other Information

No information available.

3. Composition/information on ingredients

3.1. Substances

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%
Distillates, petroleum, hydrotreated light paraffinic (IP346 <3% DMSO)	64742-55-8	30 - 60
Graphite	7782-42-5	10 - 30
Nickel	7440-02-0	10 - 30
Aluminum	7429-90-5	1 - <5

**The exact percentage (concentration) of composition has been withheld as a trade secret*

4. First-aid measures

SAFETY DATA SHEET

NEVER-SEEZ NICKEL NUCLEAR GRADE
Revision Number 4

Revision date 17-Jan-2025
Supersedes date 18-Mar-2022

4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.
Inhalation	Remove to fresh air. If symptoms persist, call a physician.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.
Ingestion	Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician or poison control center immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Itching. Rashes. Hives.
Effects of Exposure	No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians	May cause sensitization in susceptible persons. May cause sensitization by skin contact. Treat symptomatically.
---------------------------	---

5. Fire-Fighting Measures

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical. Carbon dioxide (CO ₂). Water spray. Foam. Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by skin contact.
Hazardous combustion products	Carbon dioxide (CO ₂). Nitrogen oxides (NO _x).
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
---	--

6. Accidental Release Measures

SAFETY DATA SHEET

NEVER-SEEZ NICKEL NUCLEAR GRADE
Revision Number 4

Revision date 17-Jan-2025
Supersedes date 18-Mar-2022

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling.

Other information Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Should not be released into the environment. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use personal protective equipment as required. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Take off contaminated clothing and wash before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

7.3 References to other sections

Reference to other sections Section 10: STABILITY AND REACTIVITY
Section 13: DISPOSAL CONSIDERATIONS

8. Exposure Controls/Personal Protection

8.1. Control parameters

Exposure Limits This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Graphite	TWA: 2 mg/m ³ respirable	TWA: 15 mg/m ³ total dust	IDLH: 1250 mg/m ³

SAFETY DATA SHEET

NEVER-SEEZ NICKEL NUCLEAR GRADE
Revision Number 4

Revision date 17-Jan-2025
Supersedes date 18-Mar-2022

7782-42-5	particulate matter all forms except graphite fibers	synthetic TWA: 5 mg/m ³ respirable fraction synthetic TWA: 15 mppcf respirable dust natural (vacated) TWA: 2.5 mg/m ³ respirable dust natural (vacated) TWA: 10 mg/m ³ total dust synthetic (vacated) TWA: 5 mg/m ³ respirable fraction synthetic TWA: 15 mppcf natural	TWA: 2.5 mg/m ³ natural respirable dust
Nickel 7440-02-0	TWA: 1.5 mg/m ³ inhalable particulate matter	TWA: 1 mg/m ³ (vacated) TWA: 1 mg/m ³	IDLH: 10 mg/m ³ TWA: 0.015 mg/m ³
Aluminum 7429-90-5	TWA: 1 mg/m ³ respirable particulate matter	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 15 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust

Chemical name	Argentina	Brazil	S.D. 594/1999	Colombia
Graphite 7782-42-5	TWA: 2 mg/m ³	TWA: 2 mg/m ³	LPP: 1.75 mg/m ³	TWA: 2mg/m ³
Nickel 7440-02-0	TWA: 1.5 mg/m ³	TWA: 1.5 mg/m ³	LPP: 0.88 mg/m ³	TWA: 1.5mg/m ³
Aluminum 7429-90-5	TWA: 10 mg/m ³	TWA: 1 mg/m ³	LPP: 8.75 mg/m ³ LPP: 4.5 mg/m ³	TWA: 1mg/m ³

Chemical name	Costa Rica	Peru	Uruguay	Venezuela
Graphite 7782-42-5	TWA: 2mg/m ³	TWA: 2mg/m ³	2 mg/m ³ TWA (all forms except graphite fibers, respirable particulate matter)	TWA: 2 mg/m ³
Nickel 7440-02-0	TWA: 1.5mg/m ³	TWA: 1.5mg/m ³	1.5 mg/m ³ TWA (inhalable particulate matter)	TWA: 1.5 mg/m ³
Aluminum 7429-90-5	TWA: 1mg/m ³	TWA: 10mg/m ³	1 mg/m ³ TWA (respirable particulate matter)	TWA: 10 mg/m ³

8.2. Exposure controls

Appropriate engineering controls

Engineering controls

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

US - EN

SAFETY DATA SHEET

NEVER-SEEZ NICKEL NUCLEAR GRADE
Revision Number 4

Revision date 17-Jan-2025
Supersedes date 18-Mar-2022

Hand protection	Wear suitable gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
General hygiene considerations	Wear suitable gloves and eye/face protection. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Regular cleaning of equipment, work area and clothing is recommended.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical state	Solid
Appearance	Paste
Color	Gray
Odor	No information available
Odor threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	Not applicable Insoluble in water
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flash point	> 150 °C / 302 °F	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	64.3 mm ² /s	@ 40°C
Dynamic viscosity	No data available	None known

9.2. Other information

Explosive properties	No information available
Oxidizing properties	No information available
Solvent content (%)	No information available
Solid content (%)	No information available
Softening point	No information available

SAFETY DATA SHEET

NEVER-SEEZ NICKEL NUCLEAR GRADE
Revision Number 4

Revision date 17-Jan-2025
Supersedes date 18-Mar-2022

Molecular weight	No information available	No information available
VOC content	No information available	No information available
Density	1.25 g/cm ³	
Bulk density	No information available	

10. Stability and Reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Chemical stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied

11. Toxicological information

11.1. Information on toxicological effects

Product Information

Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin contact	Specific test data for the substance or mixture is not available. May cause sensitization by skin contact. (based on components). Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Ingestion	Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document
ATEmix (oral) >5000 mg/kg

SAFETY DATA SHEET

NEVER-SEEZ NICKEL NUCLEAR GRADE
Revision Number 4

Revision date 17-Jan-2025
Supersedes date 18-Mar-2022

ATEmix (dermal) >5000 mg/kg
ATEmix (inhalation-gas) >20000 ppm
ATEmix (inhalation-dust/mist) >5 mg/l
ATEmix (inhalation-vapor) >20 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Distillates, petroleum, hydrotreated light paraffinic (IP346 <3% DMSO) 64742-55-8	LD50 > 5000 mg/kg (Rattus)	LD50> 5000 mg/kg (Oryctolagus cuniculus) OECD 402	=3900 mg/m ³ (Rattus) 4 h
Graphite 7782-42-5	-	-	>2000 mg/m ³ (Rattus) 4 h
Nickel 7440-02-0	>9000 mg/kg (Rattus)	-	>10.2 mg/L (Rattus) 1 h
Aluminum 7429-90-5	LD50 >10,000 mg/Kg (Rattus)(OECD 401)	-	> 0.888 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Classification based on data available for ingredients. Contains a known or suspected carcinogen. Suspected of causing cancer. Product containing mineral oil with less than 3% DMSO extract as measured by IP 346. The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346. This note applies only to certain complex oil derived substances in Annex I.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Distillates, petroleum, hydrotreated light paraffinic (IP346 <3% DMSO) 64742-55-8	A2	Group 1	Known	X
Nickel 7440-02-0	-	Group 2B	Reasonably Anticipated	X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

SAFETY DATA SHEET

NEVER-SEEZ NICKEL NUCLEAR GRADE
Revision Number 4

Revision date 17-Jan-2025
Supersedes date 18-Mar-2022

Occupational Safety and Health Administration of the US Department of Labor
X - Present

Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT - single exposure	Based on available data, the classification criteria are not met.
STOT - repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Target organ effects	Respiratory system, Eyes, Skin, Central Vascular System (CVS), Lungs, Nasal Cavities.
Aspiration hazard	Based on available data, the classification criteria are not met.
Other adverse effects	No information available.
Interactive effects	No information available.

12. Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Distillates, petroleum, hydrotreated light paraffinic (IP346 <3% DMSO) 64742-55-8	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)
Graphite 7782-42-5	-	LC50: >100mg/L (96h, Danio rerio)	-	-
Nickel 7440-02-0	EC50: =1.84 - 1.96 mg/L (72h, Spirodela polyrhiza)	LC50 96 h = 1.3 mg/L (Cyprus carpio)	-	EC50: =1mg/L (48h, Daphnia magna)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

12.4. Mobility in soil

Mobility No information available.

Other adverse effects

Other adverse effects No information available.

SAFETY DATA SHEET

NEVER-SEEZ NICKEL NUCLEAR GRADE
Revision Number 4

Revision date 17-Jan-2025
Supersedes date 18-Mar-2022

13. Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

14. Transport information

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. Regulatory Information

International Inventories

TSCA	Complies
DSL	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Complies - The components of this product are either listed or exempt from listing on inventory. Active

Not Listed - One or more components of this product are not listed on inventory.

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	CAS No.	SARA 313 - Threshold Values %
Nickel	7440-02-0	0.1
Aluminum	7429-90-5	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

16. Other Information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization:

US - EN

SAFETY DATA SHEET

NEVER-SEEZ NICKEL NUCLEAR GRADE
Revision Number 4

Revision date 17-Jan-2025
Supersedes date 18-Mar-2022

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances
STOT: Specific Target Organ Toxicity
ATE: Acute Toxicity Estimate
LC50: 50% Lethal Concentration
LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation

Prepared By Product Stewardship and Regulatory Affairs.

Revision date 17-Jan-2025

Revision Note SDS sections updated. 1. 3. 4. 6. 7. 8. 10. 11. 12. 15.

Disclaimer

All information contained herein is believed to be accurate as of the date of publication, is provided "as-is" and is subject to change without notice. This is not a warranty, an agreement, or substitute for expert or professional advice. Bostik Inc. ("Company") expressly disclaims and assumes no liability for the use of the products or reliance on this information. It is the sole responsibility of the user to determine the suitability of any products for user's application(s). **NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED (INCLUDING SUITABILITY FOR USE IN ANY MEDICAL DEVICE OR MEDICAL APPLICATION), IS MADE CONCERNING THE PRODUCTS OR THE INFORMATION PROVIDED HEREIN.** The information provided relates only to the specific products designated herein and may not be valid where such products are used in combination with other materials or in any process. The performance of the product, its shelf life, and application characteristics depends on many variables, and changes in these variables can impact product performance. You are responsible to test the suitability of any product in advance for any intended use or application and before commercialization. Nothing herein shall be construed as a license for the use of any product in a manner that might infringe any patent and it should not be construed as an inducement to infringe any patent. Please carefully review the Safety Data Sheet for the product.

The Company adheres to a strict policy that applies to the use of any of its products in medical device applications. This policy can be found at <https://www.arkema.com/global/en/social-responsibility/innovation-and-sustainable-solutions/responsible-product-management/medical-device-policy/> which is incorporated herein by reference and made a part hereof. Except as expressly authorized, the Company (i) has designated specific medical grade compositions for products used in medical device applications and Company products not so designated are not authorized for use in medical device applications and (ii) strictly prohibits the use of any of its products in medical device applications that are implanted in the body or in contact with bodily fluids or tissues for greater than 30 days. The Company does not design, manufacture and/or directly sell any medical devices. The Company does not co-design, or offer assistance to any purchaser of its products, in their design, manufacture and/or sale of products for medical devices. It is the sole responsibility of the manufacturer of medical devices to determine the suitability of all raw material, products and components, including any medical grade products, in order to ensure that the medical device is safe for end-use and complies with all applicable legal and regulatory requirements and to conduct all necessary tests and inspections.

End of Safety Data Sheet



REGULATORY INFORMATION Americas

NEVER SEEZ NU NICKEL SPL

Revision Number 1.03

Revision date 06-Nov-2025
Supersedes date 28-Jun-2025

US Regulations

California Proposition 65

Substances as defined in Proposition 65 of the California Safe Drinking Water and Toxic Enforcement Act of 1986 and its amendments

The following list of CA Proposition 65 listed substances known to be present in this product are provided for reference purposes only.

Effective date 03/01/2025 (DD/MM/YYYY)

Chemical name	California Proposition 65
Nickel 7440-02-0	Carcinogen

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	U.S. - Maine - Chemicals of High Concern	Massachusetts	New Jersey	Pennsylvania	U.S. - Washington - Children's Safe Products Reporting Rule - Chemicals of High Concern to Children (CHCC)
Distillates, petroleum, hydrotreated light paraffinic (IP346 <3% DMSO) 64742-55-8		X	X	X	
Graphite 7782-42-5		X	X	X	
Nickel 7440-02-0		X	X	X	
Aluminum 7429-90-5		X	X	X	

EPA TSCA Section 6(h) (Persistent, Bioaccumulative, and Toxic (PBT) Chemicals)

Based on the information from our suppliers and the final product composition, this product is screened for Decabromodiphenyl ether (DecaBDE) (CAS # 1163-19-5), Phenol, isopropylated phosphate (3:1) (PIP (3:1)) (CAS # 68937-41-7), 2,4,6-Tris(tert-butyl)phenol (2,4,6-TTBP) (CAS # 732-26-3), Hexachlorobutadiene (HCBD) (CAS # 87-68-3), or Pentachlorothiophenol (PCTP) (CAS # 133-49-3)

EPA TSCA Section 6(h) (Persistent, Bioaccumulative, and Toxic (PBT) Chemicals) Not present

CONEG Model Toxics in Packaging

Model Toxics in Packaging Legislation (also referred to as CONEG) concerns restrictions on the use of certain hazardous substances in packaging or packaging components (including printing inks used in packaging), and restricts the sum of the incidental concentration levels of lead, mercury, cadmium and hexavalent chromium present in the product to a level equal to or less than 100 parts per million by weight

Based on a review of the final product composition, this product is not known to contain CONEG substances at or above the 100 ppm reporting threshold



REGULATORY INFORMATION

Americas

NEVER SEEZ NU NICKEL SPL

Revision Number 1.03

Revision date 06-Nov-2025
Supersedes date 28-Jun-2025

Effective date

February 2021



NEVER SEEZ NU NICKEL SPL

Revision Number 1.03

Revision date 06-Nov-2025
Supersedes date 28-Jun-2025

International Regulations

Global Inventories

AIIC	Complies
DSL	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
NZIoC	Complies
TCSI	Complies
TSCA	Complies

Legend:

Complies - The components of this product are either listed or exempt from listing on inventory. Active
Not Listed - One or more components of this product are not listed on inventory.

AIIC - Australian Inventory of Industrial Chemicals

DSL - Canadian Domestic Substances List

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing Chemicals Inventory

NZIoC - New Zealand Inventory of Chemicals

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substance Inventory

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

The Montreal Protocol on Substances that Deplete the Ozone Layer

Not applicable

The Stockholm Convention on Persistent Organic Pollutants

Based on the information from our suppliers and the final product composition, we do not knowingly add any materials classified as a Persistent Organic Pollutant (POP) during the production of this product, nor do our suppliers report the inclusion of these materials in their products

The Rotterdam Convention

Not applicable



NEVER SEEZ NU NICKEL SPL

Revision Number 1.03

Revision date 06-Nov-2025
Supersedes date 28-Jun-2025

European Union

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59). This declaration is based on information from our suppliers and the final product composition.

Effective date 05/11/2025 (DD/MM/YYYY)

Substance subject to authorization per REACH Annex XIV

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No.	Restricted substance per REACH Annex XVII
Nickel	7440-02-0	27 75

27 Not to be used in articles intended for direct or prolonged skin contact

Restriction of Hazardous Substances (RoHS) - EU

Restrictions on the use of certain hazardous substances in electric and electronic equipment as defined in Directive 2011/65/EU and amendments in force (including Directive (EU) 2015/863)

The RoHS substances (and their reporting thresholds) are: Lead (0.1%), Mercury (0.1%), Cadmium(0.01%), Hexavalent chromium (0.1%), Polybrominated biphenyls (PBB) (0.1%), Polybrominated diphenylethers (PBDE) (0.1%), Bis(2-ethylhexyl) phthalate (DEHP) (0.1%), Butyl benzyl phthalate (BBP) (0.1%),Dibutyl phthalate (DBP) (0.1%), Diisobutyl phthalate (DIBP) (0.1%).

Based on a review of the final product composition, there are no RoHS substances known to be present above the reporting threshold.

Effective date 22/07/2019 (DD/MM/YYYY)



NEVER SEEZ NU NICKEL SPL

Revision Number 1.03

Revision date 06-Nov-2025
Supersedes date 28-Jun-2025

Substance related information

Natural latex

Based on information from our suppliers and the final product composition, this product is screened for the presence of Natural Rubber Latex (CAS # 9004-04-6)

Natural latex Not present

Styrene

Based on information from our suppliers and the final product composition, this product is screened for the presence of Styrene (CAS#100-42-5)

Styrene Not present

Formaldehyde

Based on information from our suppliers and the final product composition, this product is screened for the presence of Formaldehyde (CAS# 50-00-0)

Formaldehyde Not present

Bisphenol A

Based on information from our suppliers and the final product composition, this product is screened for the presence of Bisphenol A (CAS # 80-05-7)

Bisphenol A Not present

Phthalates

Based on information from our suppliers and the final product composition, this product is screened for the following phthalates, DINP – diisononyl phthalate (CAS #s 28553-12-0 and 68515-48-0), DEHP – diethyl hexyl phthalate (CAS # 117-81-7), DBP – dibutyl phthalate (CAS # 84-74-2), DIDP – diisodecyl phthalate (CAS #s 26761-40-0 and 68515-49-1), DNOP – di-n-octyl phthalate (CAS # 117-84-0), BBP – butyl benzyl phthalate (CAS # 85-68-7), DMP – dimethyl phthalate (CAS # 131-11-3), DEP – diethyl phthalate (CAS # 84-66-2) and DIBP – diisobutyl phthalate (CAS # 84-69-5)

Phthalates Not present

BTEX chemicals

Based on information from our suppliers and the final product composition, this product is screened for the presence of the following substances: Benzene (CAS# 71-43-2), Toluene (CAS# 108-88-3), Ethyl benzene (CAS# 100-41-4) and Xylenes (CAS# 106-42-3, 108-38-3, 95-47-6)

BTEX chemicals Not present

Heavy metals

Based on information from our suppliers and the final product composition, this product is screened for the following heavy metals Lead (Pb), Mercury (Hg), Cadmium (Cd) and Hexavalent Chromium (Cr 6+), Antimony (Sb), Arsenic (As), Barium (Ba), Nickel (Ni), or Selenium (Se)

Heavy metals Present



NEVER SEEZ NU NICKEL SPL

Revision Number 1.03

Revision date 06-Nov-2025
Supersedes date 28-Jun-2025

Chemical name	Heavy metals	CAS No.	Weight-%
Nickel	Ni	7440-02-0	10- <30

GADSL

The Global Automotive Declarable Substances List covers substances that are expected to be present in a material or part that remains in the vehicle or part at point of sale., Contact your representative if you require submission via IMDS portal

ILFI - Red List Chemicals

The International Living Future Institute (ILFI) has developed the "Red List" materials. Builders seeking to meet the certification requirements of the Living Building Challenge must verify the materials of construction do not contain the substance on the "Red List" above 100 ppm.

<https://living-future.org/lbc/red-list/#red-list-and-watch-list-casrn-guide>

Effective date August 2024

Based on a review of the product composition, this product contains substance(s) identified as ILFI Red List Chemicals above the reporting threshold

Chemical name	Weight-%	Living Future Institute
Distillates, petroleum, hydrotreated light paraffinic (IP346 <3% DMSO) 64742-55-8	30- <60	Priority list

Kosher

Bostik Inc. does not have products certified Kosher.

Halal

Bostik Inc. does not have products certified Halal.

Allergens

For further information, please contact: your Bostik representative

BSE/TSE free (for animal origin only)

For further information, please contact: your Bostik representative

GMO free (for animal/vegetal origin)

For further information, please contact: your Bostik representative

Disclaimer

All information contained herein is believed to be accurate as of the date of publication, is provided "as-is" and is subject to change without notice. This is not a warranty, an agreement, or substitute for expert or professional advice. Bostik Inc. ("Company") expressly disclaims and assumes no liability for the use of the products or reliance on this information. It is the sole responsibility of the user to determine the suitability of any products for user's application(s). NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED (INCLUDING SUITABILITY FOR USE IN ANY MEDICAL DEVICE OR MEDICAL APPLICATION), IS MADE CONCERNING THE PRODUCTS OR THE INFORMATION PROVIDED HEREIN. The information provided relates only to the specific products designated herein and may not be valid where such products are used in combination with other materials or in any process. The performance of the



NEVER SEEZ NU NICKEL SPL

Revision Number 1.03

Revision date 06-Nov-2025
Supersedes date 28-Jun-2025

product, its shelf life, and application characteristics depends on many variables, and changes in these variables can impact product performance. You are responsible to test the suitability of any product in advance for any intended use or application and before commercialization. Nothing herein shall be construed as a license for the use of any product in a manner that might infringe any patent and it should not be construed as an inducement to infringe any patent. Please carefully review the Safety Data Sheet for the product.

The Company adheres to a strict policy that applies to the use of any of its products in medical device applications. This policy can be found at <https://www.arkema.com/global/en/social-responsibility/innovation-and-sustainable-solutions/responsible-product-management/medical-device-policy/> which is incorporated herein by reference and made a part hereof. Except as expressly authorized, the Company (i) has designated specific medical grade compositions for products used in medical device applications and Company products not so designated are not authorized for use in medical device applications and (ii) strictly prohibits the use of any of its products in medical device applications that are implanted in the body or in contact with bodily fluids or tissues for greater than 30 days. The Company does not design, manufacture and/or directly sell any medical devices. The Company does not co-design, or offer assistance to any purchaser of its products, in their design, manufacture and/or sale of products for medical devices. It is the sole responsibility of the manufacturer of medical devices to determine the suitability of all raw material, products and components, including any medical grade products, in order to ensure that the medical device is safe for end-use and complies with all applicable legal and regulatory requirements and to conduct all necessary tests and inspections.