



SAFETY DATA SHEET

In accordance with OSHA 29 CFR 1910.1200

NEVER-SEEZ MARINER'S CHOICE
Revision Number 7

Revision date 19-Aug-2024
Supersedes date 09-Mar-2023

1. Identification

1.1. Product identifier

Product Name NEVER-SEEZ MARINER'S CHOICE

Other means of identification

Other information Not applicable

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Lubricant
Restrictions on use No information available

1.3. Details of the supplier of the safety data sheet

Responsible Party

Bostik Inc.
11320 W. Watertown Plank Road
Wauwatosa, Wisconsin 53226 USA
Phone: +1(800) 726-7845 (Domestic Toll Free)
Phone: +1 (414) 774-2250 (International)

E-mail msds@bostik.com

1.4. Emergency telephone number

Emergency Telephone CHEMTREC (Chemical Transportation Emergency Center)
Chemtrec: 1-800-424-9300 (US), 1-703-527-3887 (Outside U.S.)
Rocky Mountain Poison Center: 1-866-767-5089

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Serious eye damage/eye irritation	Category 2A
Reproductive toxicity	Category 2

Hazards not otherwise classified (HNOC)

Not applicable

2.2. Label elements

EMERGENCY OVERVIEW

Danger

Hazard statements

Causes serious eye irritation
Suspected of damaging fertility or the unborn child

SAFETY DATA SHEET

NEVER-SEEZ MARINER'S CHOICE
Revision Number 7

Revision date 19-Aug-2024
Supersedes date 09-Mar-2023



Appearance Paste

Physical state Solid

Odor Petroleum

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

IF eye irritation persists: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

2.3. Other Information

Causes mild skin irritation.

3. Composition/information on ingredients

3.1. Substances

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%
Residual oils (petroleum) solvent-refined	64742-01-4	10 - 30
Graphite	7782-42-5	10 - 30
Paraffin oils	8012-95-1	10 - 30
Calcium fluoride (CaF ₂)	7789-75-5	7 - <13
Carbonic acid, calcium salt (1:1)	471-34-1	3 - <7
Aluminum	7429-90-5	1 - <5
Benzenesulfonic acid, dodecyl-, calcium salt	26264-06-2	1 - <5
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	0.1 - <1

**The exact percentage (concentration) of composition has been withheld as a trade secret*

4. First-aid measures

SAFETY DATA SHEET

NEVER-SEEZ MARINER'S CHOICE
Revision Number 7

Revision date 19-Aug-2024
Supersedes date 09-Mar-2023

4.1. Description of first aid measures

General advice	IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. If symptoms persist, call a physician.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash skin with soap and water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth thoroughly with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Prolonged contact may cause redness and irritation. May cause redness and tearing of the eyes.
Effects of Exposure	No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically.
---------------------------	------------------------

5. Fire-Fighting Measures

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	No information available.
Hazardous combustion products	Carbon oxides. Carbon monoxide. Carbon dioxide (CO ₂). Sulfur oxides.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
---	--

6. Accidental Release Measures

SAFETY DATA SHEET

NEVER-SEEZ MARINER'S CHOICE
Revision Number 7

Revision date 19-Aug-2024
Supersedes date 09-Mar-2023

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling.

Other information Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not allow into any sewer, on the ground or into any body of water. Prevent product from entering drains. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Cover with plastic sheet to prevent spreading.

Methods for cleaning up Use personal protective equipment as required. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Wash thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

7.3 References to other sections

Reference to other sections Section 10: STABILITY AND REACTIVITY
Section 13: DISPOSAL CONSIDERATIONS

8. Exposure controls/personal protection

8.1. Control parameters

Exposure Limits This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Graphite 7782-42-5	TWA: 2 mg/m ³ respirable particulate matter all forms	TWA: 15 mg/m ³ total dust synthetic	IDLH: 1250 mg/m ³ TWA: 2.5 mg/m ³ natural

SAFETY DATA SHEET

NEVER-SEEZ MARINER'S CHOICE
Revision Number 7

Revision date 19-Aug-2024
Supersedes date 09-Mar-2023

	except graphite fibers	TWA: 5 mg/m ³ respirable fraction synthetic TWA: 15 mppcf respirable dust natural (vacated) TWA: 2.5 mg/m ³ respirable dust natural (vacated) TWA: 10 mg/m ³ total dust synthetic (vacated) TWA: 5 mg/m ³ respirable fraction synthetic TWA: 15 mppcf natural	respirable dust
Paraffin oils 8012-95-1	TWA: 5 mg/m ³ inhalable particulate matter excluding metal working fluids, highly & severely refined	TWA: 5 mg/m ³ (vacated) TWA: 5 mg/m ³	IDLH: 2500 mg/m ³ TWA: 5 mg/m ³ STEL: 10 mg/m ³
Calcium fluoride (CaF ₂) 7789-75-5	TWA: 2.5 mg/m ³ F	TWA: 2.5 mg/m ³ F (vacated) TWA: 2.5 mg/m ³	IDLH: 250 mg/m ³ F TWA: 2.5 mg/m ³ F
Carbonic acid, calcium salt (1:1) 471-34-1	-	-	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust
Aluminum 7429-90-5	TWA: 1 mg/m ³ respirable particulate matter	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 15 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust

Chemical name	Argentina	Brazil	S.D. 594/1999	Colombia
Graphite 7782-42-5	TWA: 2 mg/m ³	TWA: 2 mg/m ³	LPP: 1.75 mg/m ³	TWA: 2mg/m ³
Paraffin oils 8012-95-1	TWA: 5 mg/m ³ STEL: 10 mg/m ³	TWA: 5 mg/m ³	LPP: 263 ppm LPP: 1199 mg/m ³	TWA: 5mg/m ³
Calcium fluoride (CaF ₂) 7789-75-5	TWA: 2.5 mg/m ³	TWA: 2.5 mg/m ³	LPP: 2.19 mg/m ³	TWA: 2.5mg/m ³
Aluminum 7429-90-5	TWA: 10 mg/m ³	TWA: 1 mg/m ³	LPP: 8.75 mg/m ³ LPP: 4.5 mg/m ³	TWA: 1mg/m ³

Chemical name	Costa Rica	Peru	Uruguay	Venezuela
Graphite 7782-42-5	TWA: 2mg/m ³	TWA: 2mg/m ³	2 mg/m ³ TWA (all forms except graphite fibers, respirable particulate matter)	TWA: 2 mg/m ³
Paraffin oils 8012-95-1	TWA: 5mg/m ³	STEL: 10mg/m ³ TWA: 5mg/m ³	5 mg/m ³ TWA (excluding metal working fluids, highly & severely refined, inhalable particulate matter)	STEL: 10 mg/m ³ TWA: 5 mg/m ³
Calcium fluoride (CaF ₂) 7789-75-5	-	TWA: 2.5mg/m ³	2.5 mg/m ³ TWA (as F)	TWA: 2.5 mg/m ³
Carbonic acid, calcium salt (1:1) 471-34-1	-	TWA: 10mg/m ³	-	TWA: 10 mg/m ³
Aluminum 7429-90-5	TWA: 1mg/m ³	TWA: 10mg/m ³	1 mg/m ³ TWA (respirable particulate matter)	TWA: 10 mg/m ³

SAFETY DATA SHEET

NEVER-SEEZ MARINER'S CHOICE
Revision Number 7

Revision date 19-Aug-2024
Supersedes date 09-Mar-2023

8.2. Exposure controls

Appropriate engineering controls

Engineering controls Showers
 Eyewash stations
 Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Avoid contact with eyes.

Hand protection Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.

Skin and body protection Wear suitable protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General hygiene considerations Wear suitable gloves and eye/face protection. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. Wash hands before breaks and immediately after handling the product. Regular cleaning of equipment, work area and clothing is recommended.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid
Appearance Paste
Color Black
Odor Petroleum
Odor threshold No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	Not applicable Insoluble in water
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flash point	> 115 °C / 239 °F	
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	

SAFETY DATA SHEET

NEVER-SEEZ MARINER'S CHOICE
Revision Number 7

Revision date 19-Aug-2024
Supersedes date 09-Mar-2023

Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	approx 460 mm ² /s	@ 40 °C
Dynamic viscosity	No data available	None known

9.2. Other information

Explosive properties	No information available	
Oxidizing properties	No information available	
Solvent content (%)	No information available	
Solid content (%)	No information available	
Softening point	No information available	
Molecular weight	No information available	
VOC content	No information available	No information available
Density	10.5 LB/GAL	
Bulk density	No information available	

10. Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Chemical stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied

11. Toxicological information

11.1. Information on toxicological effects

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

SAFETY DATA SHEET

NEVER-SEEZ MARINER'S CHOICE
Revision Number 7

Revision date 19-Aug-2024
Supersedes date 09-Mar-2023

(based on components). May cause redness, itching, and pain.

Skin contact

Based on available data, the classification criteria are not met.

Ingestion

Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

May cause redness and tearing of the eyes. Prolonged contact may cause redness and irritation.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	11,164.20 mg/kg
ATEmix (dermal)	12,106.10 mg/kg
ATEmix (inhalation-gas)	>20000 ppm
ATEmix (inhalation-dust/mist)	>5 mg/l
ATEmix (inhalation-vapor)	>20 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Residual oils (petroleum) solvent-refined 64742-01-4	> 5000 mg/kg (Rattus) (OECD 401)	> 5000 mg/kg (Oryctolagus cuniculus) (OECD 401)	= 2.18 mg/L (Rat) 4 h
Graphite 7782-42-5	-	-	>2000 mg/m ³ (Rattus) 4 h
Paraffin oils 8012-95-1	>24 g/kg (Rattus)	-	=2062 ppm (Rattus) 4 h
Calcium fluoride (CaF ₂) 7789-75-5	=4250 mg/kg (Rattus)	-	> 5070 mg/m ³ (Rat) 4 h
Carbonic acid, calcium salt (1:1) 471-34-1	LD50 > 2000 mg/kg (Rattus) OECD 420	LD50 >2000 mg/kg (Rattus) OECD 402	LC50 (4h) >3mg/ml (Rattus)
Aluminum 7429-90-5	LD50 >10,000 mg/Kg (Rattus)(OECD 401)	-	> 0.888 mg/L (Rat) 4 h
Benzenesulfonic acid, dodecyl-, calcium salt 26264-06-2	1086 - 1980 mg/kg (Rattus) = 4 g/kg (Rattus)	-	-
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene 68411-46-1	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Classification based on data available for ingredients. Causes mild skin irritation.

Serious eye damage/eye irritation

Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

NEVER-SEEZ MARINER'S CHOICE
Revision Number 7

Revision date 19-Aug-2024
Supersedes date 09-Mar-2023

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met. The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 "Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method", Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Residual oils (petroleum) solvent-refined 64742-01-4	A2	Group 1	Known	X
Paraffin oils 8012-95-1	A2	Group 1 Group 3	Known	X
Calcium fluoride (CaF ₂) 7789-75-5	-	Group 3	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Occupational Safety and Health Administration of the US Department of Labor

X - Present

Reproductive toxicity Classification based on data available for ingredients. Contains a known or suspected reproductive toxin. Suspected of damaging fertility or the unborn child.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Target organ effects Respiratory system, Eyes, Skin, Central Vascular System (CVS).

Aspiration hazard Based on available data, the classification criteria are not met.

Other adverse effects No information available.

Interactive effects No information available.

12. Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Residual oils (petroleum)	-	LC50: >5000mg/L (96h,	-	EC50: >1000mg/L (48h,

SAFETY DATA SHEET

NEVER-SEEZ MARINER'S CHOICE
Revision Number 7

Revision date 19-Aug-2024
Supersedes date 09-Mar-2023

solvent-refined 64742-01-4		Oncorhynchus mykiss)		Daphnia magna)
Graphite 7782-42-5	-	LC50: >100mg/L (96h, Danio rerio)	-	-
Carbonic acid, calcium salt (1:1) 471-34-1	IC50 72H Algae >1000 mg/l	CL50 96H >1000 mg/l	-	EC50 48H Daphnia >1000 mg/l
Benzenesulfonic acid, dodecyl-, calcium salt 26264-06-2	-	LC50: =10.8mg/L (96h, Oncorhynchus mykiss)	-	-
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene 68411-46-1	-	LC50: >100mg/L (96h, Danio rerio)	-	-

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

12.4. Mobility in soil

Mobility No information available.

Other adverse effects

Other adverse effects No information available.

13. Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

14. Transport information

DOT Not regulated

IATA Not regulated

IMDG Not regulated

SAFETY DATA SHEET

NEVER-SEEZ MARINER'S CHOICE
Revision Number 7

Revision date 19-Aug-2024
Supersedes date 09-Mar-2023

15. Regulatory information

International Inventories

TSCA	Complies
DSL	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Complies - The components of this product are either listed or exempt from listing on inventory. Active

Not Listed - One or more components of this product are not listed on inventory.

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	CAS No.	SARA 313 - Threshold Values %
Aluminum	7429-90-5	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

16. Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances

vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate

LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation

Prepared By Product Stewardship and Regulatory Affairs.

Revision date 19-Aug-2024

Revision Note SDS sections updated. 2. 3. 4. 5. 6. 7. 8. 11.

Disclaimer

All information contained herein is believed to be accurate as of the date of publication, is provided "as-is" and is subject to change without notice. This is not a warranty, an agreement, or substitute for expert or professional advice. Bostik Inc. ("Company") expressly disclaims and assumes no liability for the use of the products or reliance on this information. It is the sole responsibility of the user to determine the suitability of any products for user's application(s). **NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED (INCLUDING SUITABILITY FOR USE IN ANY MEDICAL DEVICE OR MEDICAL APPLICATION), IS MADE CONCERNING THE PRODUCTS OR THE INFORMATION PROVIDED HEREIN.** The information provided relates only to the specific products

SAFETY DATA SHEET

NEVER-SEEZ MARINER'S CHOICE
Revision Number 7

Revision date 19-Aug-2024
Supersedes date 09-Mar-2023

designated herein and may not be valid where such products are used in combination with other materials or in any process. The performance of the product, its shelf life, and application characteristics depends on many variables, and changes in these variables can impact product performance. You are responsible to test the suitability of any product in advance for any intended use or application and before commercialization. Nothing herein shall be construed as a license for the use of any product in a manner that might infringe any patent and it should not be construed as an inducement to infringe any patent. Please carefully review the Safety Data Sheet for the product.

The Company adheres to a strict policy that applies to the use of any of its products in medical device applications. This policy can be found at <https://www.arkema.com/global/en/social-responsibility/innovation-and-sustainable-solutions/responsible-product-management/medical-device-policy/> which is incorporated herein by reference and made a part hereof. Except as expressly authorized, the Company (i) has designated specific medical grade compositions for products used in medical device applications and Company products not so designated are not authorized for use in medical device applications and (ii) strictly prohibits the use of any of its products in medical device applications that are implanted in the body or in contact with bodily fluids or tissues for greater than 30 days. The Company does not design, manufacture and/or directly sell any medical devices. The Company does not co-design, or offer assistance to any purchaser of its products, in their design, manufacture and/or sale of products for medical devices. It is the sole responsibility of the manufacturer of medical devices to determine the suitability of all raw material, products and components, including any medical grade products, in order to ensure that the medical device is safe for end-use and complies with all applicable legal and regulatory requirements and to conduct all necessary tests and inspections.

End of Safety Data Sheet



REGULATORY INFORMATION Americas

NEVER SEEZ MARINER CH

Revision Number 1.03

Revision date 06-Nov-2025
Supersedes date 28-Jun-2025

US Regulations

California Proposition 65

Substances as defined in Proposition 65 of the California Safe Drinking Water and Toxic Enforcement Act of 1986 and its amendments

Based on final product composition and information from our suppliers, this product is not known to contain any substances listed on California Prop 65.

Effective date 03/01/2025 (DD/MM/YYYY)

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	U.S. - Maine - Chemicals of High Concern	Massachusetts	New Jersey	Pennsylvania	U.S. - Washington - Children's Safe Products Reporting Rule - Chemicals of High Concern to Children (CHCC)
Graphite 7782-42-5		X	X	X	
Paraffin oils 8012-95-1		X	X	X	
Carbonic acid, calcium salt (1:1) 471-34-1		X	X	X	
Aluminum 7429-90-5		X	X	X	
Benzenesulfonic acid, dodecyl-, calcium salt 26264-06-2		X	X	X	
Silica, amorphous 7631-86-9		X	X	X	

EPA TSCA Section 6(h) (Persistent, Bioaccumulative, and Toxic (PBT) Chemicals)

Based on the information from our suppliers and the final product composition, this product is screened for Decabromodiphenyl ether (DecaBDE) (CAS # 1163-19-5), Phenol, isopropylated phosphate (3:1) (PIP (3:1)) (CAS # 68937-41-7), 2,4,6-Tris(tert-butyl)phenol (2,4,6-TTBP) (CAS # 732-26-3), Hexachlorobutadiene (HCBD) (CAS # 87-68-3), or Pentachlorothiophenol (PCTP) (CAS # 133-49-3)

EPA TSCA Section 6(h) (Persistent, Bioaccumulative, and Toxic (PBT) Chemicals) Not present

CONEG Model Toxics in Packaging

Model Toxics in Packaging Legislation (also referred to as CONEG) concerns restrictions on the use of certain hazardous substances in packaging or packaging components (including printing inks used in packaging), and restricts the sum of the incidental concentration levels of lead, mercury, cadmium and hexavalent chromium present in the product to a level equal to or less than 100 parts per million by weight

Based on a review of the final product composition, this product is not known to contain CONEG substances at or above the



NEVER SEEZ MARINER CH

Revision Number 1.03

Revision date 06-Nov-2025
Supersedes date 28-Jun-2025

100 ppm reporting threshold

Effective date

February 2021



NEVER SEEZ MARINER CH

Revision Number 1.03

Revision date 06-Nov-2025
Supersedes date 28-Jun-2025

International Regulations

Global Inventories

AIIC	Not Listed
DSL	Complies
ENCS	Not Listed
IECSC	Not Listed
KECL	Not Listed
PICCS	Not Listed
NZIoC	Not Listed
TCSI	Not Listed
TSCA	Complies

Legend:

Complies - The components of this product are either listed or exempt from listing on inventory. Active
Not Listed - One or more components of this product are not listed on inventory.

AIIC - Australian Inventory of Industrial Chemicals

DSL - Canadian Domestic Substances List

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing Chemicals Inventory

NZIoC - New Zealand Inventory of Chemicals

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substance Inventory

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

The Montreal Protocol on Substances that Deplete the Ozone Layer

Not applicable

The Stockholm Convention on Persistent Organic Pollutants

Based on the information from our suppliers and the final product composition, we do not knowingly add any materials classified as a Persistent Organic Pollutant (POP) during the production of this product, nor do our suppliers report the inclusion of these materials in their products

The Rotterdam Convention

Not applicable



NEVER SEEZ MARINER CH

Revision Number 1.03

Revision date 06-Nov-2025
Supersedes date 28-Jun-2025

European Union

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59). This declaration is based on information from our suppliers and the final product composition.

Effective date 05/11/2025 (DD/MM/YYYY)

Substance subject to authorization per REACH Annex XIV

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No.	Restricted substance per REACH Annex XVII
Residual oils (petroleum) solvent-refined	64742-01-4	28 75

28

Reserved for industrial and professional use

Restriction of Hazardous Substances (RoHS) - EU

Restrictions on the use of certain hazardous substances in electric and electronic equipment as defined in Directive 2011/65/EU and amendments in force (including Directive (EU) 2015/863)

The RoHS substances (and their reporting thresholds) are: Lead (0.1%), Mercury (0.1%), Cadmium(0.01%), Hexavalent chromium (0.1%), Polybrominated biphenyls (PBB) (0.1%), Polybrominated diphenylethers (PBDE) (0.1%), Bis(2-ethylhexyl) phthalate (DEHP) (0.1%), Butyl benzyl phthalate (BBP) (0.1%),Dibutyl phthalate (DBP) (0.1%), Diisobutyl phthalate (DIBP) (0.1%).

Based on a review of the final product composition, there are no RoHS substances known to be present above the reporting threshold.

Effective date 22/07/2019 (DD/MM/YYYY)



NEVER SEEZ MARINER CH

Revision Number 1.03

Revision date 06-Nov-2025
Supersedes date 28-Jun-2025

Substance related information

Natural latex

Based on information from our suppliers and the final product composition, this product is screened for the presence of Natural Rubber Latex (CAS # 9004-04-6)

Natural latex Not present

Styrene

Based on information from our suppliers and the final product composition, this product is screened for the presence of Styrene (CAS#100-42-5)

Styrene Not present

Formaldehyde

Based on information from our suppliers and the final product composition, this product is screened for the presence of Formaldehyde (CAS# 50-00-0)

Formaldehyde Not present

Bisphenol A

Based on information from our suppliers and the final product composition, this product is screened for the presence of Bisphenol A (CAS # 80-05-7)

Bisphenol A Not present

Phthalates

Based on information from our suppliers and the final product composition, this product is screened for the following phthalates, DINP – diisononyl phthalate (CAS #s 28553-12-0 and 68515-48-0), DEHP – diethyl hexyl phthalate (CAS # 117-81-7), DBP – dibutyl phthalate (CAS # 84-74-2), DIDP – diisodecyl phthalate (CAS #s 26761-40-0 and 68515-49-1), DNOP – di-n-octyl phthalate (CAS # 117-84-0), BBP – butyl benzyl phthalate (CAS # 85-68-7), DMP – dimethyl phthalate (CAS # 131-11-3), DEP – diethyl phthalate (CAS # 84-66-2) and DIBP – diisobutyl phthalate (CAS # 84-69-5)

Phthalates Not present

BTEX chemicals

Based on information from our suppliers and the final product composition, this product is screened for the presence of the following substances: Benzene (CAS# 71-43-2), Toluene (CAS# 108-88-3), Ethyl benzene (CAS# 100-41-4) and Xylenes (CAS# 106-42-3, 108-38-3, 95-47-6)

BTEX chemicals Not present

Heavy metals

Based on information from our suppliers and the final product composition, this product is screened for the following heavy metals Lead (Pb), Mercury (Hg), Cadmium (Cd) and Hexavalent Chromium (Cr 6+), Antimony (Sb), Arsenic (As), Barium (Ba), Nickel (Ni), or Selenium (Se)

Heavy metals Not present



NEVER SEEZ MARINER CH

Revision Number 1.03

Revision date 06-Nov-2025
Supersedes date 28-Jun-2025

GADSL

The Global Automotive Declarable Substances List covers substances that are expected to be present in a material or part that remains in the vehicle or part at point of sale., Contact your representative if you require submission via IMDS portal

ILFI - Red List Chemicals

The International Living Future Institute (ILFI) has developed the "Red List" materials. Builders seeking to meet the certification requirements of the Living Building Challenge must verify the materials of construction do not contain the substance on the "Red List" above 100 ppm.

<https://living-future.org/lbc/red-list/#red-list-and-watch-list-casrn-guide>

Effective date August 2024

Based on a review of the product composition, this product contains substance(s) identified as ILFI Red List Chemicals above the reporting threshold

Chemical name	Weight-%	Living Future Institute
Residual oils (petroleum) solvent-refined 64742-01-4	10- <30	Priority list

Kosher

Bostik Inc. does not have products certified Kosher.

Halal

Bostik Inc. does not have products certified Halal.

Allergens

For further information, please contact: your Bostik representative

BSE/TSE free (for animal origin only)

For further information, please contact: your Bostik representative

GMO free (for animal/vegetal origin)

For further information, please contact: your Bostik representative

Disclaimer

All information contained herein is believed to be accurate as of the date of publication, is provided "as-is" and is subject to change without notice. This is not a warranty, an agreement, or substitute for expert or professional advice. Bostik Inc. ("Company") expressly disclaims and assumes no liability for the use of the products or reliance on this information. It is the sole responsibility of the user to determine the suitability of any products for user's application(s). NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED (INCLUDING SUITABILITY FOR USE IN ANY MEDICAL DEVICE OR MEDICAL APPLICATION), IS MADE CONCERNING THE PRODUCTS OR THE INFORMATION PROVIDED HEREIN. The information provided relates only to the specific products designated herein and may not be valid where such products are used in combination with other materials or in any process. The performance of the product, its shelf life, and application characteristics depends on many variables, and changes in these variables can impact product performance. You are responsible to test the suitability of any product in advance for any intended use or application and before commercialization. Nothing herein shall be construed as a license for the use of any product in a manner that might infringe any patent and it should not be construed as an inducement to infringe any patent. Please carefully review the Safety Data Sheet for the product.

The Company adheres to a strict policy that applies to the use of any of its products in medical device applications. This policy can be found at <https://www.arkema.com/global/en/social-responsibility/innovation-and-sustainable-solutions/responsible-product-management/medical-device-policy/> which is incorporated herein by reference and made a part hereof. Except as expressly authorized, the Company (i) has designated specific medical grade compositions for products used in medical device applications and Company products not so designated are not authorized for use in medical device applications and (ii) strictly prohibits the use of any of its products in medical device applications that are implanted in the body or in contact with bodily fluids or tissues for greater than 30 days. The



REGULATORY INFORMATION

Americas

NEVER SEEZ MARINER CH

Revision Number 1.03

Revision date 06-Nov-2025
Supersedes date 28-Jun-2025

Company does not design, manufacture and/or directly sell any medical devices. The Company does not co-design, or offer assistance to any purchaser of its products, in their design, manufacture and/or sale of products for medical devices. It is the sole responsibility of the manufacturer of medical devices to determine the suitability of all raw material, products and components, including any medical grade products, in order to ensure that the medical device is safe for end-use and complies with all applicable legal and regulatory requirements and to conduct all necessary tests and inspections.